



## **ALPINE MEADOW light - on flax backing**

Artikel Nr. WSPALM2020FVPRW

Hand-scythed Tyrolean Alpine hay with colourful petals from heather, cornflowers, sunflowers, lavender, roses, and approx. 5 daisies per m<sup>2</sup>. In light application on breathable flax fleece.

Pure summer joy in its lightest form! With colourful flowers, fragrant alpine hay, and aromatic herbs, this surface brings the spirit of the Tyrolean mountains indoors. The airy lightness and visible texture of the natural flax fleece give ALPINE MEADOW light an open, delicate appearance, creating a naturally light atmosphere in any space.

**Order your DIN A5 sample now!**

Colourful flower petals and approx. 5 marguerites/m<sup>2</sup> on regional, hand-cut Alpine hay from the Tyrolean Alps. In light coverage on natural non-woven flax backing.

## Characteristics


<b>Raw material</b>	Fragrant Alpine hay with colourful petals and marguerites
<b>Scent</b>	● ○ ○
<b>Light fastness</b>	● ● ○
<b>Abrasion resistance</b>	● ○ ○
<b>Vibrancy</b>	● ● ○

## Technical details


<b>Backing</b>	Flax Backing
<b>Format</b>	Rolled goods, width: 1,360 mm
<b>MOQ</b>	1 m <sup>2</sup> ( ca. 0.74 running metre)
<b>Weight</b>	190 g/m <sup>2</sup>
<b>Thickness</b>	0,2 mm
<b>Flexibility</b>	Bending radius up to 0.5 mm
<b>Translucency</b>	light-permeable

## Material details


**Wallpapering technique** Do not apply glue to the back of the wallpaper, but to the surface. Please note our glue recommendations.



**Overlap and double-cut** Each panel overlaps approx. 2 cm with the one next to it. Please note the edge tolerance.



**Free match** Free match  
The naturally scattered materials do not require matching patterns between panels.



**Breathable** The natural flax fleece backing is breathable, unbleached, ecological and climate regulating.



## Processing

### Wallpaper

Installation of Organoid® natural surfaces on flax fleece as a wallpaper:

- Wall-pasting technique
- Pay attention to Organoid glue recommendations
- Double cut: Each panel overlaps with the one next to it (approx. 2 cm)
- Cut with scissors, cutter or plotter
- Pre-trials recommended
- In the case of wallpapers, the effect is to be checked after processing three strips. Claims that go beyond the replacement of defective goods will not be accepted.

Processing



### Décor

Installation of Organoid® natural surfaces on flax fleece in woodworking (décor):

- Process with normal wood-working machinery
- Glue (e.g. white glue) is applied onto the wooden materials, as the fleece absorbs moisture and glue stains may appear on the front if glue is applied to the fleece
- Cover the natural surface with the enclosed separating paper
- pressing temperature. 60°C
- For sensitive wood-working applications, use a counter-balance (enclosed on request)
- Cut with scissors, cutter or plotter
- Pre-trials recommended

Processing

## Inspiration



### ORGANOID GmbH

6500 Fließ  
Nesselgarten 422  
[www.organoids.com](http://www.organoids.com)  
[info@organoids.com](mailto:info@organoids.com)  
Tel. [+43 5449 200 01](tel:+43544920001)

18.2.2026