

HOPS GOLD - on golden paper

Artikel Nr. HOPBLI0065GTARW

Delicate hop blossoms in medium application on golden paper.

All that glitters is gold: Shine and indulgence in perfect harmony! This luxurious surface combines the noble elegance of gold with the natural texture of real hop blossoms. Its golden shimmer lends your space an aura of sophistication and refinement, while the unique tactile quality adds a touch of exclusivity. Perfect for those who don't just want to shine – but truly glow.

Order your DIN A5 sample now!

Softly shimmering hop blossoms in medium coverage on golden paper.

Characteristics

Raw material	Softly shimmering hop blossoms
Scent	● ○ ○
Light fastness	● ● ○
Abrasion resistance	● ● ○
Vibrancy	● ● ○

Technical details


Backing	Golden Paper
Format	Rolled goods, width: 1,360 mm
MOQ	1 m ² (ca. 0.74 running metre)
Weight	220 g/m ²
Thickness	0,2 mm
Flexibility	Bending radii up to 2 mm
Translucency	opaque

Material details


Wallpapering technique Do not apply glue to the back of the wallpaper, but to the surface. Please note our glue recommendations.



Free match Free match
The naturally scattered materials do not require matching patterns between panels.



Overlap and double-cut Each panel overlaps approx. 2 cm with the one next to it. Please note the edge tolerance.



Processing

Décor

Installation of Organoid natural surfaces on golden paper in woodworking (décor):

- Process with normal wood-working machinery
- Glue (e.g. white glue) is applied onto the wooden materials, as the fleece absorbs moisture and glue stains may appear on the front if glue is applied to the fleece
- Cover the natural surface with the enclosed separating paper
- pressing temperature. 60°C
- For sensitive wood-working applications, use a counter-balance (enclosed on request)
- Cut with scissors, cutter or plotter
- Pre-trials recommended

Processing

Wallpaper

Installation of Organoid® natural surfaces on golden paper as a wallpaper:

- Wall-pasting technique
- Additional soaking with a sponge and clear, cold water
- Pay attention to Organoid glue recommendations
- Double cut: Each panel overlaps with the one next to it (approx. 2 cm)
- Cut with scissors, cutter or plotter
- Pre-trials recommended
- In the case of wallpapers, the effect is to be checked after processing three strips. Claims that go beyond the replacement of defective goods will not be accepted.

Processing

ORGANOID GmbH

6500 Fließ

Nesselgarten 422

www.organoids.com

info@organoids.com

Tel. +43 5449 200 01

18.2.2026